

Himachal Pradesh Technical University, Hamirpur

B. Pharmacy (Ayurveda) Re-evaluation Result for the Session December, 2016

Sr. No.	Roll No	Sem	Scheme	Sub Code	Result
1	1601303013	I	CBCS	BPA-101	F
2	1601303021	I	CBCS	BPA-101	F
3	1601303024	I	CBCS	BPA-101	F
4	1601303013	I	CBCS	BPA-102	F
5	1601303024	I	CBCS	BPA-102	F
6	1601303024	I	CBCS	BPA-103	F
7	1601303013	I	CBCS	BPA-104	F
8	1601303024	I	CBCS	BPA-104	F
9	1601303021	I	CBCS	BPA-105	F
10	1601303024	I	CBCS	BPA-105	F
11	1601303001	I	CBCS	BPA-111	Reject
12	1601303025	I	CBCS	BPA-112	Reject
13	BP5022958	I	CBCS	HS-101	F
14	1601303016	I	CBCS	HS-102	F
15	1601303017	I	CBCS	HS-102	D
16	1601303021	I	CBCS	HS-102	F
17	1601303024	I	CBCS	HS-102	D
18	BP5022958	I	CBCS	HS-102	D
19	BP5022952	III	CBCS	BPA-302	D
20	BP5022958	III	CBCS	BPA-302	F
21	BP5022952	III	CBCS	BPA-304	F
22	BP5022958	III	CBCS	BPA-304	F
23	BP5022952	III	CBCS	BPA-305	F
24	BP5022952	III	CBCS	BPA-306	F
25	BP5022958	III	CBCS	BPA-306	D
26	BP5022971	III	CBCS	BPA-306	F
27	BP4020013	III	NS	BPA-311	19
28	BP4020012	III	NS	BPA-316	20
29	BP4020023	III	NS	BPA-316	23
30	BP4020011	III	NS	BPA-323	24
31	BP4020012	III	NS	BPA-323	17
32	BP4020022	III	NS	BPA-323	26
33	BP4020005	III	NS	BPA-324	28
34	BP4020006	III	NS	BPA-324	24
35	BP4020007	III	NS	BPA-324	23
36	BP4020011	III	NS	BPA-324	17
37	BP4020012	III	NS	BPA-324	16
38	BP4020022	III	NS	BPA-324	17
39	BP30211	III	NS	BPA-335	23
40	BP30219	III	NS	BPA-335	13
41	BP30223	III	NS	BPA-335	14
42	BP30225	III	NS	BPA-335	9
43	BP30228	III	NS	BPA-335	16
44	BP4020005	III	NS	BPA-335	19
45	BP4020012	III	NS	BPA-335	7
46	BP30217	V	NS	BPA-514	18
47	BP4020011	V	NS	BPA-514	23
48	BP30217	V	NS	BPA-522	24
49	BP30227	V	NS	BPA-522	31
50	BP4020007	V	NS	BPA-522	27
51	BP4020009	V	NS	BPA-522	30
52	BP4020011	V	NS	BPA-522	24
53	BP4020012	V	NS	BPA-522	28
54	BP4020013	V	NS	BPA-522	25
55	BP4020025	V	NS	BPA-522	25
56	BP30217	V	NS	BPA-523	13
57	BP4020011	V	NS	BPA-523	23
58	BP4020012	V	NS	BPA-523	27
59	BP4020013	V	NS	BPA-523	26
60	BP4020023	V	NS	BPA-523	25
61	7912	VIII	NS	BPA-821	18
62	7924	VIII	NS	BPA-821	17
63	7912	VIII	NS	BPA-824	17



Controller of Examination